

Kennedy Valve
A Division of McWane, Inc.

AWWA PRODUCTS



1021 East Water Street
Elmira, NY 14902
Phone: (607)734-2211
Fax: (607)734-3288
Fax: (800)952-4771
E-Mail: sales@kennedyvalve.com
www.kennedyvalve.com

PRICE LIST: WW 021012
EFFECTIVE DATE: February 10, 2012

TERMS AND CONDITIONS

These prices supersede and cancel all previous prices for these products. Prices and designs are subject to change without notice.

All material will be invoiced at prices in effect on the date of shipment unless a prior written agreement is in effect.

All contracts, orders or agreements are subject to approval by the Kennedy Valve office in Elmira, New York.

All orders once entered; are subject to a 25% cancellation charge, and are subject to increased charges depending on the status and type of material ordered.

Payment terms are as follows: freight allowed in the USA, except Alaska or Hawaii, on orders of 20,000 pounds or more, on orders of 5,000 – 19,999, freight allowed with next truck into the area. Orders of less than 5,000 will be prepay and add. NO FREIGHT ALLOWANCE ON ORDERS FOR PARTS. Kennedy reserves the right to determine routing.

Invoice Dates Terms

1st thru 15th 2%, 30th of that month; net 15th of the following month
16th thru 31st 2%, 15th of the following month; net 30th of the following month

Further, a 1 ½% penalty will be applied to all invoices over 30 days past due.

The amount of any sales, excise or other taxes, if any, applicable to the products covered by this order, shall be added to the purchase price, and shall be paid by Buyer unless Buyer provides Kennedy with the exemption certificate acceptance to the taxing authorities.

TERMS AND CONDITIONS CONT.

All shipments are carefully examined, counted, and packed. The cost of any special packing or special handling caused by Buyer's requirements or requests shall be added to the amount of the order. No claim for shortages or errors in shipment will be allowed unless made in writing within five (5) days of receipt of shipment. For other than truckload shipments, claims for products damaged or lost in transit should be on the carrier, as Kennedy's responsibility ceases, and title passes, on delivery to the carrier.

Shipments to customers shall be at all times subject to the approval of the Kennedy Valve Credit Department.

Schedules of deliveries are estimates only, and do not constitute a guarantee that shipment will be made with the time given. Product offered from stock is subject to prior sale. Kennedy will make every effort to complete delivery of products as ordered, but Kennedy assumes no responsibility or liability, and will accept no back charge, for loss or damage due to delay or inability to deliver caused by acts of God, war, labor difficulties, accidents, delay of carriers, by contractors or suppliers, inability to obtain materials, shortages of fuel and energy, or any other causes of any kind whatever beyond the control of Kennedy. Kennedy may terminate any contract of sale of its products without liability of any nature, by written notice to the Buyer, in the event that the delay in delivery or performance resulting from any of the aforesaid causes shall continue for a period of sixty (60) days. Under no circumstances shall Kennedy be liable for any special or consequential damages or for loss, damage, or expense (whether or not based on negligence) directly or indirectly arising from delays or failure to give notice of delay.

A **MATERIAL RETURN AUTHORIZATION** (MRA Number) must be obtained from Kennedy Valve, Elmira, New York **BEFORE** any product is returned for credit. Material returned must be in a saleable condition. Outbound and inbound freight, reconditioning charges, and a 25% handling charge will be deducted from all credits. Material returned for credit must have been purchased within the preceding 12 month period and must be accompanied by our invoice number and date. Return material must exceed \$1,000 minimum value.

LIMITED WARRANTY

Kennedy Valve warrants that the goods furnished hereunder, will be free from defects in material and workmanship, and will operate freely without failure or leakage under the service conditions they were installed under.

If within one (1) year from date of initial operation, but not more than eighteen (18) months from date of shipment by Kennedy Valve of any item of product(s), the purchaser discovers that such item(s) was not as warranted above, notifies Kennedy Valve in writing within 30 days from date purchaser discovered; or should have discovered, then Kennedy Valve shall remedy such nonconformance by, at Kennedy Valve's option, adjustment or repair or replacement of the item and any affected part of the product(s) within 30 days of such notice. Purchaser shall assume all responsibility and expense for removal, reinstallation and freight in connection with the foregoing remedies.

Kennedy Valve shall not be liable for incidental or consequential losses, damages, or expenses, directly or indirectly arising from the sale, handling or use of the goods, of from any other cause relating thereto, and Kennedy Valve's liability hereunder in any case is expressly limited to replacement (in the form originally shipped) of goods not complying with this agreement, or, at Kennedy Valve's election, to the replacement of, or crediting Purchaser with, an amount equal to the purchase price of such goods whether such claims are for breach of warranty or negligence.

Kennedy Valve reserves the right to change material composition without prior notice as long as it meets applicable standards.

TEN YEAR LIMITED WARRANTY ON KENNEDY K81A & D GUARDIAN FIRE HYDRANT

Kennedy Valve Company warrants that its Kennedy Guardian Fire Hydrant will be free from defects in material and workmanship under normal and customary use and maintenance for a period of ten (10) years from the date of purchase, provided the hydrant is installed and maintained according to Kennedy Valve instructions, and applicable codes. The foregoing warranty does not cover failure of any part or parts from external forces, including but not limited to earthquakes, vandalism, vehicular or other impact, application of excessive torque to the operating mechanism or frost heave.

Should any Kennedy Valve Company part or parts fail to conform to the foregoing warranty, Kennedy Valve shall, upon prompt written notice thereof, repair or replace, F.O.B. point of manufacture, such defective part or parts. Purchaser shall, if requested, return the part or parts to Kennedy Valve, transportation prepaid. Purchaser shall bear all responsibility and expense incurred for removal, reinstallation and shipping in connection with any part supplied under the foregoing warranty.

THE FOREGOING WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES NOT EXPRESSLY SET FORTH HEREIN, WHETHER EXPRESS OR IMPLIED BY OPERATION OF LAW OR OTHERWISE, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY OR FITNESS. IN NO EVENT SHALL KENNEDY VALVE COMPANY BE RESPONSIBLE OR LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL LOSSES, DAMAGES, OR EXPENSES.

TEN YEAR LIMITED WARRANTY ON KENNEDY VALVE RESILIENT WEDGE VALVES

Kennedy Valve Company warrants that its Resilient Wedge valves will be free from defects in material and workmanship under normal and customary use and maintenance for a period of ten (10) years from the date of purchase, provided the valve is installed and maintained according to Kennedy Valve instructions, and applicable codes. The foregoing warranty does not cover failure of any part or parts from external forces, including but not limited to earthquakes, vandalism, vehicular or other impact, application of excessive torque to the operating mechanism or frost heave.

Should any Kennedy Valve Company part or parts fail to conform to the foregoing warranty, Kennedy Valve shall, upon prompt written notice thereof, repair or replace, F.O.B. point of manufacture, such defective part or parts. Purchaser shall, if requested, return the part or parts to Kennedy Valve, transportation prepaid. Purchaser shall bear all responsibility and expense incurred for removal, reinstallation and shipping in connection with any part supplied under the foregoing warranty.

THE FOREGOING WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES NOT EXPRESSLY SET FORTH HEREIN, WHETHER EXPRESS OR IMPLIED BY OPERATION OF LAW OR OTHERWISE, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY OR FITNESS. IN NO EVENT SHALL KENNEDY VALVE COMPANY BE RESPONSIBLE OR LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL LOSSES, DAMAGES, OR EXPENSES.

ECCENTRIC PLUG VALVES

[Back to table of contents.](#)

Size	F5412 Flanged No Operator *	F5413 MJ w/acc No Operator *	F5414 Grooved No Operator *
3"	\$686.00	\$753.00	\$686.00
4"	\$727.00	\$794.00	\$727.00
6"	\$1,246.00	\$1,341.00	\$1,246.00
8"	\$1,737.00	\$1,872.00	\$1,737.00
10"	\$2,570.00	\$2,772.00	\$2,570.00
12"	\$3,373.00	\$3,649.00	\$3,373.00
14"	\$4,947.00	\$5,292.00	
16"	\$6,923.00	\$7,407.00	
18"	\$10,333.00	\$10,891.00	
20"	\$14,956.00	\$15,651.00	
24"	\$26,648.00	\$29,711.00	

***3" Flanged and Grooved valves come standard with levers. Operating nuts are available.**

Worm gearing recommended on 6" with 75 PSI or more and 8" with 60 PSI or more. [\(See Pg. 18\)](#)

10" - 24" must add price of worm gear actuator. Actuator is recommended on 6" above

Notes: All non-gearred valves are furnished with op-nuts.

- ▶ Lever wrench heads are available for 4" - 8" non-gearred valves with op-nuts.
- ▶ Lever actuators can only be used for pressure ratings of 100 PSI maximum and 25 PSI in reverse flow condition.
- ▶ It is recommended that valves be configured with geared actuators if installed in pipelines with high velocity flows or where water hammer conditions exist. Lever actuators can only be used for pressure ratings of 100 PSI maximum and 25 PSI in the reverse flow condition.
- ▶ Worm gears recommended on all buried service valves.
- ▶ For MJ valves less accessories ~ use flanged list price

Adders: Lever Wrench Head \$43.00 Part Number M1300490
 Special coating \$18.00 Per inch per coat

CHAIN LEVER OPERATOR (For 4" - 8" valves without actuators)

SIZE	PSI	Price	Part #	Size of Handles on each side
4"	0 - 75	\$265.00	A1300653	9"
6"	0 - 75	\$272.00	A1300656	17"
8"	0 - 60	\$272.00	A1300656	17"

▶ **Note:** Chain for above PC# T0800062 - \$6.00. per foot

CHAIN WHEEL

(Add to price of actuator and hand wheel)

Hand wheel Size	Price
10"	\$331.00
18"	\$553.00
24"	\$1,017.00
30"	\$1,255.00

304 Stainless Steel Bolts & Nuts for Plug Valve	
4" - 6"	\$40.00
8"	\$56.00
10" - 12"	\$78.00
14" - 24"	\$254.00

▶ **Note:** Chain for above PC# T0800062 - \$6.00. per foot

▶ **Note:** 316 Stainless Steel bolts & nuts are POA.

WORM GEAR ACTUATORS

[Add to price of plug valve. \(See page 17\)](#)

[Back to table of contents.](#)

Worm Gear Actuator Section Chart For In-Plant Valves (above ground w/hand wheel)

[Back to table of contents.](#)

Size	Differential Pressure Across Valve (PSI)							Worm Gear Pricing	
	0-25	26-50	51-75	76-100	101-125	126-150	151-175		
4"	A110	A110	A110	A110	A110	A110	A110	A110	\$817.00
6"	A110	A110	A110	A110	A110	A110	A110	A118	\$948.00
8"	A110	A110	A110	A110	A110	A110	A110	A924	\$2,637.00
10"	A118	A118	A118	A118	A118	A118	A118	A930	\$2,730.00
12"	A118	A118	A118	A118	A118	A118	A118	A1024	\$3,313.00
14"	A924	A924	A924	A924	A924	A924	A930	A1030	\$4,347.00
16"	A1024	A1024	A1024	A1024	A1024	A1624		A1624	\$5,035.00
18"	A1024	A1024	A1024	A1024	A1030	A1624		A1630	\$9,608.00
20"	A1024	A1024	A1024	A1030	A1624	A1624			
24"	A1024	A1024	A1030	A1624	A1630	A1630			

A110	1KE/10"	Hand wheel	A1024	10KE2.5/24"	Hand wheel
A118	1KE/18"	Hand wheel	A1030	10KE2.5/30"	Hand wheel
A924	9KE/24"	Hand wheel	A1624	10KE6/24"	Hand wheel
A930	9KE/30"	Hand wheel	A1630	16KE/30"	Hand wheel

Worm Gear Actuator Section Chart for Underground Valves (buried w/op-nut)

Size	Differential Pressure Across Valve (PSI)							Worm Gear Pricing	
	0-25	26-50	51-75	76-100	101-125	126-150	151-175		
4"	U10N	U10N	U10N	U10N	U10N	U10N	U10N	U10N	\$872.00
6"	U10N	U10N	U10N	U10N	U10N	U10N	U10N	U90N	\$2,676.00
8"	U10N	U10N	U10N	U10N	U10N	U10N	U10N	U100N	\$4,027.00
10"	U10N	U10N	U10N	U10N	U10N	U10N	U10N	U160N	\$9,747.00
12"	U10N	U10N	U10N	U10N	U10N	U10N	U10N		
14"	U90N	U90N	U90N	U90N	U90N	U90N	U90N		
16"	U90N	U90N	U90N	U100N	U100N	U100N			
18"	U100N	U100N	U100N	U100N	U100N	U100N			
20"	U100N	U100N	U100N	U100N	U100N	U100N			
24"	U100N	U100N	U100N	U160N	U160N	U160N			

U10N	1KE/Op nut Buried Service
U90N	9KE/Op nut Buried Service
U100N	10KE2.5/Op nut Buried Service
U160N	16KE/Op nut Buried Service

Notes:

- ▶ It is important to use ACTUAL PRESSURE when possible. Under sizing is not recommended and over sizing is expensive.
- ▶ IN-PLANT prices include indicator and hand wheel.
- ▶ Underground Prices include operating nut and buried service cover.
- ▶ ALL IN-PLANT actuators are sized for no more than 80lbs pull on hand wheel.
- ▶ ALL UNDERGROUND actuators are sized for input torque of no more than 150 ft-lbs on the Op. Nut.
- ▶ Price on application for valves requiring submerged service, special paint or 316 stainless steel hardware.
- ▶ Epoxy adder - \$18.00 list per inch/coat