

100% PORT ECCENTRIC PLUG VALVES

CERTIFICATIONS

ISO 9001

ISO 14001

ISO 45001

AWWA C517 3"-12" 175 PSI 14"-48" 150 PSI

FLANGED + MECHANICAL JOINT END CONNECTIONS AVAILABLE





WWW.KENNEDYVALVE.COM

With a proven design, the Kennedy Valve 100% Port Plug Valve has established itself in the market place as a reliable and engineered product capable of bi-directional flow at fully rated pressures. Over many years, the design has proven dependable in a variety of service applications.

APPLICATIONS

Water and Wastewater services

- Pump Isolation
- Open / Close, Throttling, Modulating
- Control Balancing
- Lift Stations
- Heavy Solids
- Slurries / Grit
- Vertical Piping
- Horizontal Piping


RECTANGUL	AR	PORT	DESIGN

The cylindrical plug and rectangular port provide a rotational alignment by the eccentric motion making a uniform and full contact with the welded in nickel seat. Unlike circular port designs that have a point-to-point seating where engagement and wear can be an issue, the rectangular port makes a uniform and full contact without the need for exact alignment of the plug in the body.

VALVE SIZE	CV (FULL OPEN)	
3	717	
4	1005	
6	1907	
8	2904	
10	4295	
12	5998	
14	8336	
16	10517	
18	12009	
20	17318	
24	43302	
30	68284	
36	104433	
42	Contact	
48	Factory	


ACTUATION

Kennedy Valve has furnished valves with many assorted type of actuators to operate our valves. Our engineers have extensive experience with electric, pneumatic, and hydraulic actuators on our plug valves and regularly work with most major actuator supplies.



Compared with other designs, the Kennedy Clow Valve Full Flow design allows laminar flow in the body, resulting in low head loss. This allows for passage of larger solids preventing clogging or build up.

FEATURES



OPEN LIMIT Adjustable stop.

CLOSE LIMIT Adjustable stop.




POSITION INDICATOR

Quarter-turn valves are equipped with a position indicator marked at 10° increments

^{*}Internal components different colors for illustration purposes only.

SUGGESTED INSTALLATION



ACCESSORIES & OPTIONS

A full line of accessories and options are available that include extension stems, extended bonnets, floor stands, valve boxes, operating nuts, hand wheels, levers, positioners, fully bi-directional at rated pressure, switches, and solenoid valves as well as speed control valves.



Manual valves available with 2" square operating nut.



Valves commonly supplied with gearing.





ORDERING INFORMATION

PH: 800-782-5831 607-734-2211

KNV.SALES@MCWANE.COM WWW.KENNEDYVALVE.COM

KENNEDY VALVE

1021 E. WATER ST. ELMIRA, NY 14902-1516

Kennedy Valve began operations in 1877 in Lower Manhattan, N.Y. In 1890, the operation was moved to Coxsackie, and then in 1907, Kennedy Valve moved to Elmira, N.Y., where it remains a cornerstone of the community.

In the 135 plus years since its founding, Kennedy Valve has expanded to be a full-line waterworks valve and hydrant manufacturer, supplying resilient seated gate valves, fire hydrants, check valves, butterfly valves, indicator posts, grooved butterfly valves and an assortment of related products and appurtenances.

Kennedy Valve and its employees are dedicated to supplying quality products that meet or exceed current specifications to ensure customer satisfaction. We pride ourselves on being easy to do business with and providing superior customer service backed by knowledgeable and courteous employees.

Kennedy Valve products stand the test of time in reliability. Our goal is to supply the highest quality products with the shortest lead times at a competitive price, while at the same time remaining a good steward of the environment and maintaining a safe workplace for our most valued asset, Kennedy Valve's employees.

