



KENNEDY VALVE

# INDICATOR POSTS

## 2945 ADJUSTABLE & FIXED

### CERTIFICATIONS

ISO 9001

ISO 14001

BS OHSAS 18001



\* Listings specific  
to product



WWW.KENNEDYVALVE.COM

## General Specifications

- Type: Post Indicator Telescopic Barrel
- Suitable for Gate Valve sizes 4" to 24" (DN100 - DN600)
- Approvals: UL 789 & FM 1110

## Models


- 2945A: Adjustable type, available in B, C, D, and E sizes
- 2945: Fixed types, available in F, G, and H sizes
- 2945W: Wall type, can mount horizontally to wall mount
- 2945ALV: Adjustable Large Valve type, 18" to 24" valves, available in B, C, D, and E sizes, 72 turns.

## Features

- Target nut to allow 9 to 45 turns (2945)
- Adjustable indicator plate (open / shut)
- Protected window to indicate the valve open or closed position
- Tapped for supervisory switch


## Coating

- Telescopic Barrel: Fusion Bonded Epoxy coating
- Lower Barrel: Black Bitumen coated



## Indicator Post 2945 / Adjustable and Fixed

Kennedy Valve's Indicator posts provide the reliable way of operating a buried or inaccessible gate valve for opening and closing purposes. The 2945A post has a telescoping barrel and is adjustable to meet various trench depths. The Kennedy Valve indicator post comes with an L shaped handle which can be fitted with a secure lock.





**KENNEDY VALVE**

## ORDERING INFORMATION

PH: 800-782-5831  
607-734-2211  
FAX: 800-952-4771

SALES@KENNEDYVALVE.COM  
WWW.KENNEDYVALVE.COM

## KENNEDY VALVE

1021 E. WATER ST.  
ELMIRA, NY  
14902-1516



For Generations

INDICATOR POST WEB REV 7 FEB 2021

## Telescoping Barrel 2945A - Trench Depth Limits

VALVE SIZE	B POST		C POST		D POST		E POST	
	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.
3"	30	50	48	68	66	86	87	110
4"	31	51	49	69	67	87	88	111
6"	35	55	53	76	71	91	92	115
8"	42	62	60	80	78	98	99	122
10"	45	65	63	83	81	101	102	125
12"	49	69	67	87	85	105	106	129
14" / 16"	58	78	76	96	94	114	115	138
18"	75	95	93	113	111	131	132	155
20"	76	96	94	114	112	132	133	156
24"	84	104	102	122	120	140	141	164

## Part Codes for Indicator Post 2945A

VALVE SIZE	POST	PART CODE
4" - 12"	B	115000B294201
4" - 12"	C	115000C294201
4" - 12"	D	115000D294201
14" - 16"	B	115880B294316
14" - 16"	C	115880C294316
14" - 16"	D	115880D294316
18" - 24"	B	115880B2945AL
18" - 24"	C	115880C2945AL
18" - 24"	D	115880D2945AL

## Fixed Length Posts 2945 - Maximum Trench Depths

SIZE	POST SIZE F	POST SIZE G	POST SIZE H
4"	45.5"	63.5"	87.5"
6"	49.5"	67.5"	91.5"
8"	54.5"	72.5"	96.5"
10"	59"	77"	101"
12"	64"	82"	106"
14"	69"	87"	111"