

AWWA C515--DUCTILE IRON--RESILIENT SEATED GATE VALVES

MODEL NUMBER -- "KS-RW"

[Back to table of contents.](#)

[Next C515 F](#)

SIZE	FIG 7571 MJ X MJ WITH ACCESS		FIG 7571 MJ X MJ LESS ACCESS		FIG 7572 FLG X MJ WITH ACCESS		FIG 7572 FLG X MJ LESS ACCESS	
	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT
2"	\$835.00	47#	\$740.00	37#	N/A		N/A	
3"	\$1,094.00	68#	\$1,048.00	58#	\$1,017.00	60#	\$955.00	55#
4"	\$1,251.00	86#	\$1,170.00	70#	\$1,191.00	83#	\$1,117.00	75#
6"	\$1,620.00	134#	\$1,493.00	110#	\$1,563.00	123#	\$1,493.00	111#
8"	\$2,520.00	203#	\$2,378.00	173#	\$2,435.00	195#	\$2,333.00	180#
10"	\$3,917.00	323#	\$3,708.00	287#	\$3,831.00	334#	\$3,708.00	316#
12"	\$4,951.00	412#	\$4,692.00	362#	\$4,738.00	423#	\$4,477.00	398#
14"	\$15,321.00		\$14,499.00		\$14,910.00		\$14,499.00	
16"	\$16,624.00		\$15,728.00		\$16,176.00		\$15,728.00	
18"	\$27,342.00		\$25,744.00		\$26,543.00		\$25,744.00	
20"	\$32,647.00		\$30,918.00		\$31,784.00		\$30,918.00	
24"	\$46,602.00		\$43,962.00		\$45,279.00		\$43,962.00	
30"	POA		POA		POA		POA	
36"	POA		POA		POA		POA	
42"	POA		POA		POA		POA	
48"	POA		POA		POA		POA	
54"	POA		POA		POA		POA	

► **NOTE:** Gearing is recommended for Valves 18" to 24".
Valves 30" and above require gearing for proper operation.

SIZE	FIG 7576 CUTTING-IN WITH ACCESS		FIG 7576 CUTTING-IN LESS ACCESS		FIG 7950 MJ X FLG TAP - WITH ACCESS		FIG 7950 MJ X FLG TAP - LESS ACCESS	
	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT
4"	\$1,649.00	86#	\$1,614.00	70#	\$1,561.00	94#	\$1,475.00	86#
6"	\$2,243.00	134#	\$2,204.00	110#	\$2,165.00	186#	\$2,084.00	112#
8"	\$3,478.00	203#	\$3,430.00	173#	\$3,213.00	192#	\$3,095.00	177#
10"	\$5,148.00		\$4,920.00		\$4,810.00	320#	\$4,667.00	302#
12"	\$6,496.00		\$6,210.00		\$7,351.00	411#	\$7,050.00	386#
14"					\$16,597.00		\$16,187.00	
16"					\$18,849.00		\$18,356.00	
18"					\$31,277.00		\$30,478.00	
20"					\$37,666.00		\$36,800.00	
24"					\$51,259.00		\$49,941.00	

► **NOTE:** Gearing is recommended for valves 18" to 24".
Valves 30" and above require gearing for proper operation.

RESILIENT SEAT GATE VALVE GEARING ONLY for NON-RISING STEM GATE VALVES			
ENCLOSED BEVELED		ENCLOSED SPUR	
14" - 16"	\$4,933.00	14" - 16"	\$4,734.00
18"	\$5,866.00	18"	\$5,445.00
20"	\$5,866.00	20"	\$5,445.00
24"	\$6,583.00	24"	\$6,355.00

AWWA C515--DUCTILE IRON--RESILIENT SEATED GATE VALVES

MODEL NUMBER -- "KS-RW"

[Previous C515 Page](#)

[Back to table of contents.](#)

[Next C515 Page](#)

SIZE	FIG 7057 SCREWED ENDS		FIG 7566 FLG X FLG OS&Y	
	PRICE	WEIGHT	PRICE	
2"	\$714.00	20#		
2 1/2"	\$884.00	40#		
3"	\$1,053.00	46#		
4"				
6"				
8"				
10"				
12"				
14"			\$20,660.00	
16"			\$25,599.00	
18"			\$28,821.00	
20"			\$36,179.00	
24"			\$49,993.00	

SIZE	*FIG 7561A FLANGED ENDS		FIG 7592ABF FLG X GRV NRS		FIG 7593ABF GRV X GRV NRS		FIG 7597 PVC W/GASKETS	
	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT
2"	\$732.00	42#					\$761.00	35#
2 1/2"	\$874.00	52#	\$874.00	44#	\$874.00	44#	\$1,043.00	44#
3"	\$1,038.00	68#	\$1,038.00	55#	\$1,038.00	54#	\$1,112.00	54#
4"	\$1,160.00	82#	\$1,160.00	77#	\$1,160.00	74#	\$1,273.00	70#
6"	\$1,550.00	126#	\$1,549.00	119#	\$1,549.00	107#	\$1,648.00	112#
8"	\$2,423.00	201#	\$2,423.00	176#	\$2,423.00	145#	\$2,598.00	178#
10"	\$3,850.00	358#						
12"	\$4,649.00	449#						
14"	\$14,499.00							
16"	\$15,728.00							
18"	\$25,744.00							
20"	\$30,918.00							
24"	\$43,962.00							
30"	POA							
36"	POA							
42"	POA							
48"	POA							
54"	POA							

- ▶ **NOTE:** Gearing is **recommended** for valves 18" to 24".
Valves 30" and above **require** gearing for proper operation.
- ▶ **NOTE:** Figure number 7561 in sizes 14" - 48" get no tap in the body.

*All 2 1/2" through 12" 7561A Valves are Tapped & Plugged at the 'A' Position
(2 1/2" - 4" are 1/2" Taps) (6" - 12" are 3/4" Taps)
Figure 7561A is Furnished with a handwheel unless operating nut is specified and does not include bolts, nuts & gaskets for flange side. All other NRS figure numbers furnished with operating nuts.

RESILIENT SEAT GATE VALVE GEARING ONLY for NON-RISING STEM GATE VALVES			
ENCLOSED BEVELED		ENCLOSED SPUR	
14" - 16"	\$4,933.00	14" - 16"	\$4,734.00
18"	\$5,866.00	18"	\$5,446.00
20"	\$5,866.00	20"	\$5,446.00
24"	\$6,584.00	24"	\$6,356.00

AWWA C515--DUCTILE IRON--RESILIENT SEATED GATE VALVES

MODEL NUMBER -- "KS-RW"

Previous C515 Page

[Back to table of contents.](#)

SIZE	FIG 7901 SLIP JT X SLIP JT (TYTON) LESS GASKETS		FIG 7901 SLIP JT X SLIP JT (TYTON) WITH GASKETS		FIG 7902 SLIP JT X FLG (TYTON) LESS GASKETS		FIG 7902 SLIP JT X FLG (TYTON) WITH GASKETS	
	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT
4"	\$1,202.00	77#	\$1,275.00	78#	\$1,180.00	83#	\$1,210.00	84#
6"	\$1,581.00	124#	\$1,648.00	126#	\$1,555.00	124#	\$1,599.00	125#
8"	\$2,401.00	188#	\$2,628.00	192#	\$2,458.00	188#	\$2,515.00	190#
10"	\$3,880.00	311#	\$4,017.00	315#	\$3,865.00	313#	\$3,934.00	317#
12"	\$4,863.00	424#	\$5,028.00	428#	\$4,756.00	440#	\$4,840.00	444#
14"	\$15,997.00		\$16,302.00					
16"	\$16,302.00		\$16,451.00					

► NOTE: Gearing is **recommended** for valves 18" to 24"
Valves 30" and above **require** gearing for proper operation

AWWA C515 -- DUCTILE IRON -- HDPE ENDS -- RESILIENT SEATED GATE VALVES

MODEL NUMBER -- "KS-RW"

IPS & DIPS 09			IPS & DIPS 11		
SIZE	PRICE	WEIGHT	SIZE	PRICE	WEIGHT
2"	\$991.00	45#	2"	\$1,041.00	45#
3"	\$1,401.00	55#	3"	\$1,441.00	55#
4"	\$1,551.00	68#	4"	\$1,601.00	68#
6"	\$2,041.00	133#	6"	\$2,105.00	133#
8"	\$3,335.00	222#	8"	\$3,383.00	222#
10"	\$5,763.00	385#	10"	\$5,757.00	385#
12"	\$8,015.00	493#	12"	\$8,131.00	493#

AWWA C515--250 LB FLANGE DUCTILE IRON--RESILIENT SEATED GATE VALVES

MODEL NUMBER -- "KS-RW"

FIG 5058 FLANGED END NRS			
	SIZE	PRICE	WEIGHT
▼ See UL/FM price book for 250# OS&Y gate valves	2 1/2"	\$2,200.00	79#
	3"	\$2,200.00	79#
	4"	\$2,710.00	99#
	6"	\$3,982.00	167#
	8"	\$5,426.00	253#
	10"	\$7,492.00	415#
	12"	\$10,824.00	533#

**RESILIENT SEAT GATE VALVE GEARING ONLY
for NON-RISING STEM GATE VALVES**

ENCLOSED BEVELED		ENCLOSED SPUR	
14" - 16"	\$4,933.00	14" - 16"	\$4,734.00
18"	\$5,866.00	18"	\$5,446.00
20"	\$5,866.00	20"	\$5,446.00
24"	\$6,584.00	24"	\$6,356.00

AWWA C-515--DUCTILE IRON--NRS RS GATE VALVE PARTS[Back to table of contents.](#)

Item #	Description	2" - 3"	4"	Part#	6"	Part #
R-1	Hold down Hex Bolt		\$ 6.00	460237P	\$ 6.00	444385P
R-2	Hold down Bolt Washer	Parts for 2" - 3"	\$ 2.00	445794P	\$ 2.00	445832P
R-3	Operating Nut O/L	ductile iron gate valves	\$ 28.00	328081&	\$ 28.00	328082&
R-3	Operating Nut O/R	are identical to the	\$ 28.00	328086&	\$ 28.00	328087&
R-3	Hand wheel O/L	C509 gate valve parts.	\$ 82.00	328783&	\$ 149.00	328786&
R-3	Hand wheel O/R		\$ 82.00	3287635	\$ 149.00	3287665
R-4	Stuffing Box Bolts	Small valves use	\$ 3.00	460301P	\$ 3.00	460241P
R-4	Stuffing Box Nuts	full wall ductile iron	\$ 3.00	460212P	\$ 3.00	460212P
R-5	Stuffing Box	valve parts.	\$ 55.00	3301832	\$ 56.00	3301842
R-6	Stem O Ring		\$ 3.00	442550P	\$ 7.00	442563P
R-7	Stuffing Box O Ring	Please see page 34	\$ 7.00	442732P	\$ 7.00	442561P
R-8	Thrust Washer	for these parts.	\$ 2.00	445933P	\$ 3.00	445936P
R-9	Stem O/L		\$ 282.00	3280322	\$ 382.00	3280332
R-9	Stem O/R		\$ 282.00	3280323	\$ 382.00	3280333
R-10	Cover Hex Bolts		\$ 3.00	460231P	\$ 3.00	460301P
R-10	Cover Nuts		\$ 3.00	460218P	\$ 3.00	460212P
R-11	Cover		\$ 363.00	3319084	\$ 401.00	3319124
R-12	Stem Nut O/L		\$ 69.00	3281918	\$ 124.00	3281928
R-12	Stem Nut O/R		\$ 69.00	3281919	\$ 124.00	3281929
R-13	Wedge		\$ 339.00	2280932	\$ 429.00	2280942
R-14	Cover O Ring		\$ 18.00	442754P	\$ 19.00	442562P
R-15	Body-**Part #'s avail. on request		\$ 811.00	**	\$ 1,193.00	**
R-16	Stuffing Box Plate (UL/FM)		\$ 224.00	3281872	\$ 224.00	3281882
R-17	Plug		\$ 8.00	443475P	\$ 8.00	443488P
	OS&Y Cover		\$ 347.00	3327082	\$ 400.00	3327122
	OS&Y Hand wheel		\$ 142.00	328773P	\$ 166.00	328776P

Item #	Description	8"	Part #	10"	Part #	12"	Part #
R-1	Hold down Hex Bolt	\$ 6.00	444385P	\$ 7.00	460228P	\$ 7.00	460228P
R-2	Hold down Bolt Washer	\$ 2.00	445832P	\$ 3.00	445832P	\$ 3.00	445832P
R-3	Operating Nut O/L	\$ 28.00	328083&	\$ 29.00	328084&	\$ 29.00	328084&
R-3	Operating Nut O/R	\$ 28.00	328088&	\$ 29.00	328089&	\$ 29.00	328089&
R-3	Hand wheel O/L	\$ 149.00	328788&	\$ 299.00	328790&	\$ 299.00	328790&
R-3	Hand wheel O/R	\$ 149.00	3287685	\$ 299.00	3287705	\$ 299.00	3287705
R-4	Stuffing Box Bolts	\$ 3.00	460241P	\$ 7.00	460233P	\$ 7.00	460233P
R-4	Stuffing Box Nuts	\$ 3.00	460212P	\$ 5.00	460234P	\$ 5.00	460234P
R-5	Stuffing Box	\$ 70.00	3301852	\$ 90.00	3281862	\$ 90.00	3201862
R-6	Stem O Ring	\$ 7.00	442542P	\$ 7.00	442644P	\$ 7.00	442644P
R-7	Stuffing Box O Ring	\$ 7.00	442561P	\$ 7.00	442743P	\$ 7.00	442743P
R-8	Thrust Washer	\$ 3.00	445938P	\$ 4.00	445940P	\$ 4.00	445940P
R-9	Stem O/L	\$ 515.00	3280342	\$ 734.00	3280352	\$ 921.00	3280362
R-9	Stem O/R	\$ 515.00	3280343	\$ 734.00	3280353	\$ 921.00	3280363
R-10	Cover Hex Bolts	\$ 3.00	460241P	\$ 4.00	460242P	\$ 4.00	460242P
R-10	Cover Nuts	\$ 3.00	460212P	\$ 3.00	460212P	\$ 3.00	460212P
R-11	Cover	\$ 453.00	3319164	\$ 797.00	3319204	\$ 1,107.00	3319244
R-12	Stem Nut O/L	\$ 143.00	3281938	\$ 182.00	3281948	\$ 182.00	3281948
R-12	Stem Nut O/R	\$ 143.00	3281939	\$ 182.00	3281949	\$ 182.00	3281949
R-13	Wedge	\$ 646.00	2280952	\$ 983.00	2280962	\$ 1,298.00	2280972
R-14	Cover O Ring	\$ 22.00	442762P	\$ 29.00	442746P	\$ 33.00	442766P
R-15	Body-**Part #'s avail. on request	\$ 1,565.00	**	\$ 2,596.00	**	\$ 3,416.00	**
R-16	Stuffing Box Plate (UL/FM)	\$ 224.00	3281883	\$ 224.00	3281892	\$ 224.00	3281892
R-17	Plug	\$ 8.00	443488P	\$ 8.00	443488P	\$ 8.00	443488P
	OS&Y Cover	\$ 499.00	3327162	\$ 773.00	3327202	\$ 926.00	3327242
	OS&Y Hand wheel	\$ 204.00	328778P	\$ 318.00	328780P	\$ 318.00	328780P